

DELTA SHOTCRETE (GUNITE) MACHINES

DELTA SIGMA



CAPACITY	5-9 m3/hr
AIR CONSUMPTION	10-14 m3/min
ELECTRICAL MOTOR	7.5 HP
VOLTAGE	380 V 50 Hz
HOSE SIZE	2" OR 2 ½ "
DIMENSIONS (mm)	1900 x 700 x 1400
WEIGHT (kg)	750 – 800

* DEPENDS ON ROTOR

** DEPENDS ON ROTOR, HOSE LENGTH, MATERIAL HUMIDITY, etc.



OPTIONAL COMPONENTS

AUTOMATIC GLYCERINE LUBRICATION

HYDRAULIC CLAMPING

HYDROSTATIC TRANSMISSION

OUTPUT ADJUSTMENT

AIR MOTOR ***

DIESEL MOTOR

*** ADD 8-12 M3/min to the air consumption values.



DELTA MAKINA LTD

Dolapdere Sanayi Sitesi 20. Ada No:18 İkitelli , İstanbul 34670

TEL : (212) – 5498232 / 5498346

FAX: (212) – 5498357

www.shotcreter.com

info@shotcreter.com

DELTA MINI

Shotcrete – concrete repair & refractory spraying machine



CAPACITY *	1-4 m3/saat
AIR CONSUMPTION**	4-7 m3/dak
ELECTRICAL MOTOR	5.5 HP
VOLTAGE	380 V 50 Hz
HOSE SIZE	1 ½ “ veya 2”
DIMENSIONS (mm)	1400 x 920 x 1350
WEIGHT (kg)	400-450

* DEPENDS ON ROTOR

** DEPENDS ON ROTOR, HOSE LENGTH, MATERIAL HUMIDITY, etc.

OPTIONAL COMPONENTS

AUTOMATIC GLYCERINE LUBRICATION

HYDRAULIC CLAMPING

HYDROSTATIC TRANSMISSION

OUTPUT ADJUSTMENT

AIR MOTOR ***

DIESEL MOTOR

*** ADD 8-12 M3/min to the air consumption values.



DELTA MAKINA LTD

Dolapdere Sanayi Sitesi 20. Ada No:18 Ikitelli , Istanbul 34670

TEL : (212) – 5498232 / 5498346

FAX: (212) – 5498357

www.shotcreter.com

info@shotcreter.com

Concrete repair and refractory spraying applications



DELTA MAKINA LTD

Dolapdere Sanayi Sitesi 20. Ada No:18 Ikitelli , Istanbul 34670

TEL : (212) – 5498232 / 5498346

FAX: (212) – 5498357

www.shotcreter.com

info@shotcreter.com

Pool Spraying Applications



DELTA MAKINA LTD

Dolapdere Sanayi Sitesi 20. Ada No:18 Ikitelli , Istanbul 34670

TEL : (212) – 5498232 / 5498346

FAX: (212) – 5498357

www.shotcreter.com

info@shotcreter.com